

SECTION 1: Identification of the substance/mixture and of the company/undertaking

I.I. Product identifier Cluster Sanitiser

1.2. Relevant identified uses of the substance or mixture and uses advised against surface and equipment disinfectant

concentrate

Lockerbie, Dumfriesshire. DGII 2SD

1.3. Details of the supplier of the safety data sheet

Manufacturer Kilco (International) Ltd. Supplier **Fullwood Limited** Broomhouses 2 Industrial Estate, Old Glasgow

Grange Road, Ellesmere Road, Shropshire

SY12 9DF

Phone Number 01691 627391

Fax Number

Fax Number +44 (0) 1576 205483 01691 627361

Phone Number

Emergency Phone Number +44 (0) 1576 205480 [UK 9am - 5pm only]

+44 (0) 1576 205480

E-mail sds@kilco.co.uk

+44 (0) 207 858 1228 (24 hours) I.4. Emergency telephone number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (1999/45/EEC) Corrosive, Oxidising

2.2. Label elements

Symbol (s) C. O

Risk phrases R8 Contact with combustible material may cause fire.

R34 Causes burns.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

Safety phrases S2 Keep out of the reach of children.

> \$17 Keep away from combustible material. S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S45 In case of accident or if you feel unwell, seek medical advice immediately (show label where possible).

2.3. Other hazards

This product does not contain any PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Page I of 7

Chemical Characterisation: Peracetic acid

Issue Number 08 Date of issue: 20/08/2013 Replaces SDS issued 29/09/2012



Component	EINECS No:	CAS No:	% Inclusion	Classification	Concentration limits (Annex I 67/548/EEC)
Peracetic acid	201-186-8	79-21-0	>4.50	R10 C; R35, O; R7, Xn R20/21/22 N; R50	Xn; R20/21/22: C ≥ 10 % C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 %
Acetic Acid	200-580-7	64-19-7	ca. 10	R10 C; R35	C; R35: C ≥ 90 % C; R34: 25 % ≤ C < 90 % Xi; R36/38: 10 % ≤ C < 25 %
Hydrogen Peroxide	231-765-0	7722-84-1	ca. 20	R5 O; R8, C; R35,	Xn; R20: C ≥ 50 % Xn; R22: C ≥ 8 % C; R35: C ≥ 70 % C; R34: 50 % ≤ C < 70 % Xi; R37/38: 35 % ≤ C < 50 % Xi; R41: 8 % ≤ C < 50 % Xi; R36: 5 % ≤ C < 8 % Footnote: O; R8: C ≥ 50 % R5: C ≥ 70 %

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Move out of dangerous area. Take care of your own personal safety. Keep out unprotected persons.

Eyes Speed is essential. With eye held open, thoroughly rinse with plenty of water for at least 15 minutes. Protect

unharmed eye. Continue rinsing process with saline solution. Call ambulance (Cue- caustic burn of the eye). Immediate treatment in ophthalmic hospital / ophthalmologist. Continue rinsing eye until arrival at ophthalmic

hospital.

Skin Immediately flood the skin with large quantities of water, preferably under a shower. Continue washing for at least

10 minutes. In case of discomfort: Supply with medical care. Remove contaminated clothing immediately as washing

proceeds.

Ingestion If possible prop up patient to allow release of gases from the stomach. Danger of penetration of the lungs (danger to

> breathing) when swallowed or vomited, due to gas evolution and foam formation. Do not induce vomiting. Seek urgent medical advice. Only if patient fully conscious - Rinse mouth with water and then drink copious amounts of

water, keep the patient warm and at rest. Notify ambulance immediately (cue- acid burn)

Inhalation Take affected persons out into the fresh air. Possible discomfort: Irritates skin and mucous lings of the eyes and

> respiratory tract. Cough. If breathing difficulties occur (e.g. severe continual coughing): Keep the patient half sitting with upper body raised, keep warm and in a quiet place. Call a physician immediately. If breathing affected give

artificial respiration and seek immediate medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Eyes Severe irritation, watering, redness and swelling of the eyelids. Risk of burns. Risk of serious or permanent

Skin Painful irritation, redness and swelling of the skin. Material will cause chemical burns.

Ingestion Low probability of risk (stinging odour). Paleness and cyanosis of the face. Severe irritation, burns and perforation

> of gastrointestinal tract accompanied by shock. Nausea and vomiting (bloody). Risk of throat oedema and suffocation. Cough and difficulty breathing. Excessive fluid in the mouth and nose, with risk of suffocation. Gases

may build up in the stomach. Risk of chemical pneumonitis and pulmonary oedema.

Inhalation Nose and throat irritation. Cough and difficulty breathing. In case of repeated or prolonged exposure: risk of sore

throat, nosebleeds, and chronic bronchitis.

4.3. Indication of any immediate medical attention and special treatment needed

Issue Number 08 Date of issue: 20/08/2013 Replaces SDS issued 29/09/2012

Page 2 of 7



Following inhalation

Formation of a toxic lung oedema is possible if product continues to be inhaled despite acute irritative effect (e.g. if it is not possible to leave the danger area). Prophylaxis of a toxical lung oedema with inhalative steroids (Dexamethasone aerosol dosing spray, for example auxilosone)

If the substance has been swallowed

Aspiration hazard. Risk of gaseous embolisms. In case of excessive strain on the stomach due to gas evolution, insert siphon tube. Early endoscopy in order to assess mucosa lesions in the oesophagus and stomach which may appear. If necessary, suck away left over substance. Do not administer activated charcoal, since risk of release of large amounts of gas from hydrogen peroxide.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Water spray, foam, dry powder or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Contact with flammable substances may cause inflammation. Involved in fire it may decompose yielding oxygen. Risk of overpressure and burst due to decomposition in confined spaces and pipes. Release of oxygen may support combustion. In case of fire, remove the endangered containers and bring to a safe place, if this can be done without risk. Keep away from heat.

5.3. Advice for firefighters

Evacuate personnel to safe areas. Keep out unprotected persons. Keep unauthorised persons away. Water used to extinguish fire should not enter drainage systems, soil or stretches of water. Ensure that there are sufficient retaining facilities for water used to extinguish fire. Contaminated fire-extinguishing water must be disposed of in accordance with the regulations issued by the appropriate local authorities. Fire residues should be disposed of in accordance with the regulations. To cool, spray closed containers with water spray jet. In case of fire, remove the endangered containers and bring to a safe place, if this can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear appropriate protective clothing, approved respirator, gloves, goggles etc – see section 8. Evacuate personnel to safe areas. Keep out unprotected persons. Keep unauthorised persons away.

6.2. Environmental precautions

Observe regulations on preventions of water pollution (collect, dam up, cover up) Prevent the material from entering drains or watercourses.

6.3. Methods and material for containment and cleaning up

Large spillages should be collected for disposal. Collect in suitable containers. Keep away from incompatible substances. Clean contaminated surface thoroughly - recommended cleaning agent - water. Dispose of absorbed material in accordance with the regulations. Never return spilled product into its original containers for re-use.

6.4. Reference to other sections

Protective clothing - section 8. Disposal - Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Page 3 of 7

Wear suitable protective clothing. Avoid contact with skin, eyes and clothing. Do not inhale vapour, aerosols, and sprays. When using, avoid spray mists. Operate in a well ventilated place. For personal protection see Section 8. Handle in accordance with good industrial hygiene and safety practice. Immediately change moistened or saturated work clothes. Immediately rinse contaminated or saturated clothing with water. Never return spilled product into its original containers for re-use. Avoid impurities. Transport and store container in upright position only. Do not empty container by means of pressure.

7.2. Conditions for safe storage, including any incompatibilities

Issue Number 08 Date of issue: 20/08/2013

Replaces SDS issued 29/09/2012



Keep away from incompatible substances. Keep upright only in the original container. Keep container closed and in a clean, cool, and well ventilated place away from heat, flammable materials and intense light. Avoid residues of the product on the containers. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Standards EH40 WEL Short Term EH40 WEL TWA

Hydrogen peroxide 2.8 mg/m 3 1.4 mg/m 3 Acetic Acid - 25 mg/m 3

8.2. Exposure controls

Eye / face protection Chemical goggles or face shield EN166

Hand protection Chemical resistant gloves. Natural rubber (NR)/ Polychloroprene (PCP). (EN 374).

Other PVC or other impermeable suit (suitable materials – PVC, neoprene, nitrile rubber (NBR), rubber).

PVC or rubber boots.

Respiratory protection Ensure there is good room ventilation. Do not inhale vapour, aerosols, and mist. If workplace exposure

limit is exceeded apply respiratory protective equipment. In case of larger quantities: if open handling is

unavoidable, wear respiratory protection.

Respirator with type ABEK-P2 combination filter. (e.g. FFP2 EN149:2001 or equivalent)

Note time limit for wearing respiratory protective equipment

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Clear / colourless Liquid CA. 27hPa (20°C) **Appearance** Vapour pressure Pungent / vinegar like / stinging Odour Vapour density No data available Ca. 1.12 (20°C) **Odour threshold** No data available Relative density 2.00 - 3.00Solubility (ies) Water soluble Melting /freezing point No data available Partition coefficient: n-octanol/water No data available Boiling point/boiling range >60°C Auto-ignition temperature No data available Flash point > 96°C (DIN51 584) **Decomposition temperature** No data available

Evaporation rateNo data availableViscosityNoneFlammability (solid, gas)Not spontaneously flammableExplosive propertiesNo explosive properties

Flammability (solid, gas)

Not spontaneously flammable

Upper/lower flammability or
explosive limits

Not spontaneously flammable

Explosive properties

Oxidising properties

Oxidising properties

Oxidising (according to EC directive 67/548/EEC)

9.2. Other information

No Data

SECTION 10: Stability and reactivity

10.1. Reactivity

Danger of decomposition if exposed to heat. When coming in contact with the product, impurities, decomposition catalysts, metallic salts, alkalis, reducing agents may lead to self-accelerated, exothermic decomposition and the formation of oxygen. Risk of overpressure and burst due to decomposition in confined spaces and pipes. Release of oxygen may support combustion.

10.2. Chemical stability

No data supplied

10.3. Possibility of hazardous reactions

No data supplied

Page 4 of 7

Issue Number 08 Date of issue: 20/08/2013

Replaces SDS issued 29/09/2012



10.4. Conditions to avoid

Sun rays, heat, heat effect. Mixtures with easily flammable substances may produce explosive reactions.

10.5. Incompatible materials

Exothermic reactions with release of oxygen in contact with certain metals (copper, iron). Avoid reducing agents, flammable materials, acids, bases, organic materials, and salts of metals. Organic solvents (danger of explosion)

10.6. Hazardous decomposition products

Steam, oxygen. Release of oxygen may support combustion. Stable under recommended storage conditions. Product is supplied in stabilised form.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity LD50, Oral Rat (female) 1859 mg/kg

Irritation No data supplied

Corrosive: Rabbit 0.75h OECD 404 Corrosivity Sensitisation not a sensitiser - Buehler test - guinea pig

Repeated dose toxicity No data supplied

No components are classified as Carcinogenic Carcinogenicity Mutagenicity No components are classified as Mutagenic

Toxicity for reproduction No components are classified as Toxic for reproduction

SECTION 12: Ecological information

12.1. Toxicity

LC50 FISH 96h I-2 mg/l, EC50 48h Daphnia 0.5 - I.I mg/l

12.2. Persistence and degradability

Readily biodegradable

12.3. Bioaccumulative potential

Product is not expected to bioaccumulate.

12.4. Mobility in soil

No data supplied

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

No data supplied

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal Dispose of in accordance with all applicable local and national regulations.

Container disposal Contaminated, empty containers must be disposed of as chemical waste. Residual chemical should be

disposed of by incineration or by other modes of disposal in compliance with local legislation

SECTION 14: Transport information

14.1. UN number 3149

14.2. UN proper shipping name Hydrogen Peroxide and Peroxyacetic Acid Mixture, Stabilised

14.3. Transport hazard class(es) 5.1,8

Page 5 of 7 Issue Number 08

Date of issue: 20/08/2013 Replaces SDS issued 29/09/2012



14.4. Packing group

14.5. Environmental hazards Not Marine Pollutant

П

14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Chemical (Hazard Information for Packaging and Supply) Regulations 2009 (SI 2009:716) and associated documents. COMMISSION REGULATION (EU) No 453/2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

HSE Guidance Note EH40 2007

The European Agreement Concerning the Carriage of Dangerous Goods by Road (ADR), 2009 Edition.

The International Maritime Dangerous Goods Code, (IMDG) 2010 Edition.

The International Air Transport Association Dangerous Goods Regulations, (IATA), 2012 Edition.

Safety Data Sheets provided by suppliers of component substances.

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

Note: Sections in italics indicate significant changes from the previous version

Full text of R phrases from section 3.

R5 Heating may cause an explosion

R7 May cause fire.

R8 Contact with combustible material may cause fire.

R10 Flammable.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R34 Causes burns

R35 Causes severe burns.

R50 Very toxic to aquatic organisms.

Training advice.

Page 6 of 7

Those who are employed in the use of this product must be given training which highlights the need to handle and use it only in the recommended manner and at all times make use of the prescribed personal protective equipment.

Recommended restrictions on use.

This product should be stored and handled in accordance with guidance given above and used only in the recommended manner and in conformity with any legal requirements

This safety data sheet has been supplied in accordance with the requirements of Article 31 of Regulation EC No 1907/2006 (the REACH regulation) and the information contained herein is displayed in the order prescribed in Annex II to that regulation, as amended 2010. Its purpose is to facilitate the carrying out of a risk assessment. Employers are reminded of their duty to carry out such an assessment and subsequently to provide an appropriate working environment, to make available to those who are required to use this product all necessary personal protective equipment and to ensure that such equipment is used.

The safety data sheet is additional to the technical data sheet but does not replace it. The information given herein is to the best of our knowledge correct and given in good faith. It relates to the product in the state in which it is delivered. This product is for the uses specified and should only be used for those purposes. Any other use may involve risks. The user will take sole responsibility for the precautions relating to the use of the product. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Kilco (International) Ltd. Registered Office: IA Trench Road, Mallusk, Newtownabbey, Belfast. BT36 4TY Registration Number: Ireland NI3240 Place of Registration: Northern Ireland

Issue Number 08 Date of issue: 20/08/2013
Replaces SDS issued 29/09/2012



Issue Number 08 Date of issue: 20/08/2013
Replaces SDS issued 29/09/2012